



Institute of Engineering & Technology, Lucknow, Sitapur Road, Lucknow,  
Uttar Pradesh - 226021

### INVITATION LETTER

Package Code: TEQIP-III/2019/UP/ietl/263

Package Name: IET-TEQIP-CED-LAB-4

IET/TEQIP-III/2019-230-D

Current Date: 06-Jul-2019

Method: Shopping Goods

Sub: INVITATION LETTER FOR IET-TEQIP-CED-LAB-4

Dear Sir,

- You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Item Name	Quantity	Place of Delivery	Installation Requirement (if any)
1	Electric heater	1	Institute of Engineering and Technology, Lucknow	
2	Loss angles abrasion test machine with all accessories	1	Institute of Engineering and Technology, Lucknow	
3	Centrifugal extractor (motorized )	1	Institute of Engineering and Technology, Lucknow	
4	Hand held speed laser without camera (MSIPL)(Speed Hunter)	1	Institute of Engineering and Technology, Lucknow	
5	Noise Level Meter	5	Institute of Engineering and Technology, Lucknow	
6	Automatic Vehicle Classifier	1	Institute of Engineering and Technology, Lucknow	

- Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme [TEQIP]-Phase III Project** and intends to apply part of the proceeds of this credit to eligible

payments under the contract for which this invitation for quotations is issued.

### 3. Quotation

- 3.1 The contract shall be for the full quantity as described above.
- 3.2 Corrections, if any, shall be made by crossing out, initialling, dating and re writing.
- 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit Price.
- 3.4 Applicable taxes shall be quoted separately for all items.
- 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- 3.6 The Prices should be quoted in Indian Rupees only.

### 4. Each bidder shall submit only one quotation.

### 5. Quotation shall remain valid for a period not less than 60days after the last date of quotation submission.

### 6. Evaluation of Quotations: The Purchaser will evaluate and compare the quotations determined to be Substantially responsive i.e. which

- 6.1 are properly signed; and
- 6.2 Confirm to the terms and conditions, and specifications.

### 7. The Quotations would be evaluated for all items together.

### 8. Award of contract The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of Contract.

- 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be Incorporated in the purchase order.

### 9. Payment shall be made in Indian Rupees as follows:

**Satisfactory Delivery & Installation and Acceptance - 100% of total cost**

10. Liquidated Damages will be applied as per the below:  
Liquidated Damages Per Day Min % :0.50  
Liquidated Damages Max % : 10
11. All supplied items are under warranty of 12 months from the date of successful acceptance of items and AMC/Others is .
12. You are requested to provide your offer latest by 14:00 hours on 22-Jul-2019.
13. Detailed specifications of the items are at Annexure I.
14. Training Clause (if any) YES
15. Testing/Installation Clause (if any) YES
16. Performance Security shall be applicable: 5%
17. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
18. Sealed quotation to be submitted/ delivered at the address mentioned below, **TEQIP-III Institute of Engineering & Technology, Lucknow, Sitapur Road, Lucknow, Uttar Pradesh - 226021**
19. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

**COORDINATOR**  
**TEQIP PHASE-III**  
**Institute of Engineering & Technology, Lucknow-21**



Sr. No	Item Name	Specifications
1	Electric heater	Power Supply 230V- 50Hz Automatic with timer The switch on the heater head is used to control the three heat setting. 1- For 900 w, 2- for 1200 w, for 2100 w. Net weight 13.5 kg, Insulation class I, Height 210 cm
2	Loss angles abrasion test machine with all accessories	Electrically operated on 415V, 3 phase 50 Hz AC supply
3	Centrifugal extractor (motorized )	Capacity 1500g, Electrically operated : ASTM D 2172 , AASHTO T 58,T 164 Centrifuge extractors for determining the bitumen percentage in bituminous paving mixtures. It should have a removable, precision machined, Aluminum rotor bowl, Mounted on a vertical shaft. A filter paper disc is pressed in between the rotor bowl and cover plate by tightening a knurled nut. The bowl assembly is enclosed in a housing mounted on a cast body. In a Electrical operating model the rotor bowl is coupled to a motor. The solvent may be introduced during test through a cup on the housing cover.
4	Hand held speed laser without camera (MSIPL)(Speed Hunter)	Tripod mounted laser speed meter, Metal case with rubber end caps, Frequency-905nm GHz, Class 1 Laser as per EN60825-1 : 1997-03
5	Noise Level Meter	The meter measures 9 by 2-1/5 by 1-7/10 inches (H x W x D), and uses four AAA batteries. Product Description Economical meter measures sound decibel levels for a variety of workplace situations including workplace machinery monitoring and audio/alarm system checks. Meter features a 40 to 130 dB adjustable measuring range with selectable A/C weighting and fast/slow response Records sound levels with +/-2 dB accuracy and 0.1 dB resolution Large LCD display with both number and analog graph readings Records sound values over time to track sound changes Colour: Black Material: Metal Size(mm): 60 x 130 Mm Voltage(V) : 12V Temperature( deg. Celsius): 20To+50 C Weight(g) : 1-5 Kg
6	Automatic Vehicle Classifier	